



1 Forward cabin - 1 Toilet, 2 Aft cabins - 2 Toilets, Bow cabin (optional)



2 forward cabins - 2 Toilets, 2 Aft cabins - 2 Toilets - Bow cabin (optional)

GENERAL SPECIFICATIONS

• L.O.A	59' 10"
• Hull length	58' 3"
• L.W.L.	53' 11"
• Beam	16' 4"
• Deep keel (min)	8' 6"
• Deep keel ballast	14,187 lbs
• Shallow keel (min)	6' 11"
• Shallow keel ballast	15,763 lbs
• Air draft	90' 3"
• Light displacement (EC)	47,747 lbs
• Fuel tank capacity (max)	285 gal
• Freshwater capacity (max)	269 gal
• Engine power	140 HP

ARCHITECTS / DESIGNERS

- Architect Naval: Berret Racoupeau Yacht Design
- Architecture Interior: Nauta Design

EC CERTIFICATE

- Category A - 12 persons
- Category B - 13 persons
- Category C - 14 persons

CLASSIC MAST DIMENSIONS AND AREA

• Mainsail (classic)	936 sq/ft
• Furling mainsail (optional)	797 sq/ft
• Genoa (120 %)	990 sq/ft
• Asymmetric spinnaker (optional)	2745 sq/ft
• Staysail (optional)	377 sq/ft
• I	78' 4"
• J	22' 7"
• P	75' 2"
• E	22' 8"

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull joint bonded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder, foam core with glass compound stock
- White colored hull - Grey hull decoration

DECK EQUIPMENT

RIGGING

- Standard 9/10 anodized aluminum mast - keel stepped - 3 Aft swept spreaders - Ball rails and travellers
- Retractable steps
- Anodized aluminum boom
- Stainless steel standing rigging
- Double backstay with turnbuckles
- Rigid boom vang
- Manual Genoa furler - Drum on deck
- 2 Mainsheet with blocks on GRP fixed arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing lines - 1 Manual
- 11 Sheet clutches
- 6 Jam cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self-tailing manoeuvring winches (H46.2 STC)
- 2 Winch handles Speedgrip
- 2 Winch handle holders

SAILS

- Dacron furling genoa
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Silver color Easy bag

MOORING - ANCHORING

- Self-bailing chain locker
- Hatch giving access to chain locker in sail locker / Bow cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point
- 24 V - 2000 W Vertical electrical windlass - Remote control
- 8 Stainless steel mooring cleats - Stainless steel dock line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - solid wood steps
- 2 Cubby hole lockers

DECK SECURITY

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits - 2 Stainless steel navigator seat bases with seat and back rests
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole holder
- Double lifelines and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- Self-bailing cockpit
- 2 Lockers under helm seat - Opened by gas cylinder
- 24V electric, for dinghy
- 2 Rope lockers with step in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel Stainless steel - 3' 7" diameter - Leather covered - Brake - Steering gear on partition - Metal cable transmission system - Navigation instrument pod (optional instruments) - Steering compass on console - Stainless steel glass holder - Stainless steel handrail
- PVC Gray Silver helmsman backrest
- Deck plate for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel to starboard
- Solid wood cockpit table - 2 leaves - Glove boxes - Bottle holder - 12 V outlet - Lamp with shade - Switch - Cover Grey Silver
- 2 Water-proof speakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

AFT TRANSOM

- Open access protected by stainless steel rails - 2 Stainless steel doors
- Natural solid wood sole
- 1 Life-raft locker on starboard side - Opened by gas cylinder
- 1 LPG Gas locker on port side - Opened by gas cylinder
- 2 Wet lockers at skirt bottom
- Dinghy lifting system integrated
- 1 Stainless steel swim ladder - solid wood steps
- 1 Cockpit shower cold/hot water
- 1 110 V shore power inlet

FITTINGS

- Light stained Alpi Mahogany cabinetry
- Parquet type laminated floors
- Ceiling panels, bulkhead, hull liner covered with PVC fabric

COMPANIONWAY

- Headroom: 6' 10"
- Wooden companionway with hung steps in moulded wood with non-slip surface
- Stainless steel stairway ramps - leather covered
- PMMA canopy - Wrinkled blinds

Version 1 forward cabin

FORWARD CABIN

- Headroom: 6' 11"
- Central double bed (6' 9" x 4' 0" x 5' 5") - Slatted bed base - Marine mattress
- Night tables - Cubby hole lockers - Drawers - glove boxes - Lockers under the bed (Opened by gas cylinder)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Mirror on entrance wall
- 2 Hull portholes with blackout curtains
- 3 Opening hatches with blackout blind / **screen**

STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 6' 7"
- Private washroom accessible from forward cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower door in PMMA
- Manual marine toilet
- Washbasin - Synthetic resin countertop - Mixing tap hot/cold water
- 2 Mirrors
- Toilet accessories: Glass holder - Soap tray - Towel rail - Waste bin - Paper dispenser
- Cupboards - Cubby hole lockers
- 1 Opening hatch with blackout blind / **screen**

Version 2 forward cabins

FORWARD CABINS

- 2 Symmetrical cabins
- Headroom: 6' 9"
- Double bed (6' 9" x 4' 11") - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawer - glove boxes
- Mirror on entrance wall
- 1 Hull porthole with blackout curtain
- 1 Opening hatch with blackout blind / **screen**

FORWARD HEAD COMPARTMENT

- Symmetrical bathrooms
- Headroom: 6' 7"
- Private bathrooms accessible from forward cabins
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower door in PMMA
- Manual marine toilet
- Washbasin - Synthetic resin countertop - Mixing tap hot/cold water
- Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Waste bin - Paper dispenser
- Cupboard - Cubby hole locker
- 1 Opening hatch with blackout blind / **screen**

SALOON

- Headroom: 6' 8"
- U shaped saloon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway saloon table wood - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- 4 Matching decorative cushions
- Cupboards - Cubby hole lockers and storage along the hull - Bars - Storage space under seats and sofa
- 1 Panoramic window with blackout blind / screen
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

CHART TABLE TO STARBOARD

- Control panel with hinged door - Glove boxes - Storage - Moulded wood beading
- Navigator seat with cushion and backrest
- Swivel backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio CD player/Stereo MP3 - 2 Loud speakers
- 1 Oilskins locker - 3 drawers cabinet

GALLEY TO PORT

- Headroom: 6' 9"
- U-shaped kitchen
- Synthetic resin countertop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- 1 Shower-hose mixer-tap cold / hot
- 1 Gas 3 burners, Stainless steel, grill and oven swivels - Stainless steel protection handrail
- 1 3.8 cu/ft refrigerator, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 3.5 cu/ft ice box, 24 V Refrigeration unit with freezer, top opening
- Drawers with slides and buffers, Cupboards, equipped lockers (shelves with fiddles, dish towel holder, bottle holder)
- Waste bin
- 1 Opening porthole with blackout curtain

STARBOARD AFT CABIN

- Headroom: 6' 3"
- 2 single beds, can be joined to make a double bed (6' 7" x 2' 10" + 6' 7" x 2' 8") - Slat bed base - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- 1 Dressing table with mirror
- Mirror on entrance wall
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Transom window with blackout curtain
- 1 Porthole opening towards transom

STARBOARD AFT WASHROOM

- Headroom: 6' 9"
- Private head compartment accessible from starboard aft cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower door in PMMA
- Manual marine toilet
- 1 Rigid waste tank 21 gal
- Washbasin - Synthetic resin countertop - Mixing tap cold/hot water
- Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Waste bin - Paper dispenser
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

PORT AFT CABIN

- Headroom: 6' 3"
- 1 Double bed (6' 9" x 4' 7" x 5' 0") - Lathed bed base - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- Mirror on entrance wall
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Transom window with blackout curtain
- 1 Porthole opening towards transom

PORT AFT WASHROOM

- Headroom: 6' 9"
- Head compartment accessible from the port aft cabin and from the saloon
- Separate shower: Shower tray complete - shower mixer tap cold/hot water - Shower door in PMMA
- Manual marine toilet
- 1 Rigid waste tank 21 gal
- Washbasin - Synthetic resin countertop - Mixing tap cold/hot water
- Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Waste bin - Paper dispenser
- Cupboards - Cubby hole locker
- 1 Opening porthole with curtain

ENGINE

- Engine 140 HP Volkswagen
- Engine electrical control and panel at the starboard helm
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 air outlet with exhaust fan
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Rotomolded diesel tanks (63 gal under aft berth to port + 63 gal under aft berth to starboard) - Electronic gauge - 2 Deck fillers - Tank selection with 1/4 turn valves
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft
- 3 retractable blades propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

ELECTRICITY

- 12 V circuit
- 24 V circuit
- 110 V circuit
- Conduits with messenger lines for threading cables of electrics or navigation electronics optional extras
- 1 110 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Compartment to house the electrical equipment controls (Standard or Optional) in the port aft cabin

12 V circuit

- Standard equipment: Outlets 12 V, Hifi
- Presitting for optional equipment: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Isolator
- 1 12 V - 25 Amperes battery charger
- 2 12 V Outlets (Chart table x 1 - Cockpit table x 1)

24 V circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Presitting for optional equipment: Bow thruster
- 1 12 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Isolator
- 1 24 V - 60 Amperes battery charger

110 V circuit

- Standard equipment: Outlets 110 V - Water heater
- Presitting for optional equipment: Electrical cooker - Microwave oven - Water maker - Ice maker - Air conditioning - Hood - Washing machine - Dishwasher
- Standard equipment: Outlets 110 V:
 - Version 3 cabins: 21 Outlets (Forward cabin x 5 - Fore washroom x 1 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Port aft washroom x 1 - Starboard aft cabin x 3 - Starboard aft head compartment x 1)
 - Version 4 cabins: 19 Outlets (2 Forward cabins x 2 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Starboard aft head compartment x 1)

Lighting

- Interior lights LED:
 - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
 - Courtesy lamps in wardrobes
- Outside lighting:
 - LED: Lamps under arch
 - Incandescent: Deck searchlight at mid mast, Spotlights bars arrow, Shade lamp on cockpit table
- Navigation lights LED - Control on chart table and on starboard helm
 - 1 Anchor light on masthead
 - 1 Automatic steaming light at mid mast
 - 1 Port navigation light, 1 Starboard on bow pulpit
 - 1 Sternlight on pushpit to starboard



Oceanis 58

Provisional General Equipment

PLUMBING

- 2 Rotomolded freshwater tanks (2 x 87 gal in saloon inner moulding) - 2 Deck fillers - Tank selection with ¼ turn valves
- Waterpressure system - Expansion tank - Inline filter
- 16 gal Electric water heater
- 2 x 21 gal Rigid waste tank (Port and starboard aft toilets)
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Tank storage in the cockpit sole
- Regulator and solenoid

TRIM LEVEL

	AVANTAGE	ELEGANCE
Electronic - 2 Displays (colors) TFT ST70 RAYMARINE (Loch - Speedometer - Depth finder - Windvane - Anemometer)	■	■
Releasable fore-stay chain-plate	■	■
Cockpit sole natural solid wood	■	■
1 Port electric maneuvering winch H46.2 STCEH	■	■
Extra diesel tanks (2 x 79 gal in saloon)	■	■
Extra water tank (79 gal Under the bed Forward)	■	■
Saloon: Speakers BOSE ACOUSTIMASS® 3	■	■
Shore freshwater supply	■	■
Galley: Fresh water purifier	■	■
Galley: Extractor hood	■	■
Galley: Electric pump - Sea water	■	■
Version 3 cabin: Electric toilet - Forward toilet	■	■
Version 4 cabin: Electric toilet - Aft starboard toilet	■	■
24 V circuit: 2 service batteries (4 x 140 Amperes - 12 V) + 60 amperes Additional battery charger	■	■
Pump for deck washing		■
Safe		■
Chart table: Universal recharging station (Cellphone, Walkman, GPS, PDA, etc...)		■
Chart table: Drawer refrigerator - 3.88 cu/ft - 24 V Refrigeration unit		■
Leather-covered doors and glove compartment - 2 Glove boxes of the steering wheel		■
Extra saloon table		■
Inverter 2000 W - 24 V / 110 V		■
Electric lateral blinds		■
Powered entrance door - 2 Remote controls		■

OPTIONS

PACKS

PACK ELECTRONIC RAYMARINE

- Adjustable and swiveling chart plotter support on cockpit table
- Cockpit: Multifunction screen C140W colour 14" (GPS, chart plotter, Cartography Navionics Silver Europe included, Chart plotter, Without chart)
- Cockpit: Auto pilot ST70 - LS 50 hydraulic arm - Gyrocompass - Keyboard command
- Chart table: Multifunction screen C120W colour 12" (GPS, chart plotter, Cartography Navionics Silver Europe included, Chart plotter, Without chart)
- Chart table: PC interface
- Covers GPS POD

PACK EASY DOCKING

- Bow thruster
- Windlass control in cockpit with chain counter
- 2 Steering wheels covers + console Silver
- Fenders protective covers Black
- Mooring kit (Anchor in stainless steel Delta 88 lbs - 328' 1" of 0.47" diameter chain) - 4 Mooring ropes - 8 Fenders

OTHER OPTIONS

Navigation electronics RAYMARINE

- Autopilot remote control, Wireless instruments repeater Smartcontroller
- Radar (radome only)
- Receiver AIS
- VHF

Rigging - Sails

- Aluminum anodized mast furling - Mylar Taffetas tri-radial cut mainsail and genoa
- Standard mast or in mast furling white-painted
- Electric genoa furling system
- Hydranet sail for classic mast: Hydranet tri-radial cut mainsail and genoa
- Hydranet flying staysail and track self-tacking- Fixed staysail furler with Hydranet staysail and automatic turning gear rail
- Code O in Mylar Taffetas laminated
- Asymmetric spinnaker rigging - Asymmetric spinnaker
- Symmetrical spinnaker rigging - Boom
- 2 Flag halyards
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet foot blocks, Hydraulic backstay, Winch handle Harken Speedgrip additional, Rope cutter)

Winches

- Electrical maneuvering winch to starboard H46.2 STCEH
- 2 Electric genoa sheet winches H70.2 STCEH

Bow cabin

In place of the sail hold

- Access through deck hatch (with ventilation) - Stainless steel ladder, solid wood steps
- Headroom: 6' 4"
- 2 Bunk beds (Bottom bunk 6' 5" x 2' 2" x 1' 5" - Folding upper bed 6' 5" x 2' 2" x 1' 10") - Foam mattress - Cover PVC
- Hanging locker - Storage locker - Cupboard
- Manual toilet - Washbasin - Shower head mixer tap hot/cold water - Shower tray

Hull - Deck

- Steel blue color hull - Hull decorated in pearl
- Solid wood deck
- Arch on transom
- Gangway - Hydraulic crane
- Gangway ladders
- Silver deck house hood
- Cockpit Bimini top + Side plates Silver
- PVC cockpit cushions
- Mattress sun deck Silver

Interior equipment

- 100 L/H Water maker
- 9.5 KVA Generator
- Gel batteries
- Water system heating
- Air conditioning
- 110 V Microwave oven
- 110 V Dishwasher
- 110V Washing machine
- 110V Ice maker
- 12 Persons crockery set
- Electric toilet (additional)
- Additional holding tank
- 32" LCD television on elevator in square - Player DVD / CD / MP3
- 22" LCD television in master cabin or starboard aft cabin - Player DVD / CD / MP3
- TV aerial
- Parquet type matt-varnished floors
- Extra saloon upholstery, Amaretta Kx or leather (following color chart)